L Number	Hits	Search Text	I DB	Time -4-
1	1706		USPAT;	Time stamp
		, , , , , , , , , , , , , , , , , , , ,	EPO, JPO:	2003/03/24 11:06
Į	1		DERWENT	· •
2	1947	(324/309).CCLS.	USPAT;	2003/03/24 44:07
	İ		EPO; JPO;	2003/03/24 11:07
			DERWENT	
3	864	(324/322).CCLS.	USPAT:	2003/03/24 11:07
Ì			EPO: JPO:	1
			DERWENT	
4	1592	(324/318).CCLS.	USPAT:	2003/03/24 11:08
			EPO; JPO;	1200,00,2111.00
_			DERWENT	•
5	14276	(L! ((324/309).CCLS.) ((324/322).CCLS.) ((324/318).CCLS.))	USPAT;	2003/03/24 11:09
		AND (inductor SAME capacitor)	US-PGPUB;	1
			EPO; JPO;	•
			DERWENT;	
6	227	W0040071 001 0 1 W07 W07	IBM_TDB	!
0	237	(((324/307).CCLS.) ((324/309).CCLS.) ((324/322).CCLS.)	USPAT;	2003/03/24 11:10
		((324/318).CCLS.)) AND (inductor SAME capacitor)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
_	1033	(600/410) CCL S	IBM_TDB	
1	1033	(600/410).CCLS.	USPAT;	2003/03/24 11:04
			EPO; JPO;	
_	142	Dumoulin-Charles-L.in.	DERWENT	
	172	Dunioum-Chanes-L.M.	USPAT;	2002/07/03 17:09
			EPO; JPO;	
_	96	"passive resonance"	DERWENT	1
		passive resonance	USPAT;	2003/01/15 17:19
]		EPO; JPO;	1
-	2	"passive resonance" AND MR	DERWENT	2002/04/45 40 54
			USPAT; EPO; JPO;	2003/01/15 16:54
			DERWENT	1
-	18	"passive resonance" AND magnetic	USPAT:	2003/01/15 16:59
		ď	EPO; JPO;	2003/01/13 10.59
			DERWENT	
-	95	"passive resonance"	USPAT:	2003/01/15 17:04
			EPO; JPO;	2000/01/10 17:04
			DERWENT	
-	65	(600/423).CCLS.	USPAT;	2003/01/15 17:19
	ŀ		EPO; JPO;	
	_	((000), 000, 000, 000, 000, 000, 000, 00	DERWENT	
-	6	((600/423).CCLS.) AND (fold\$ unfold\$)	USPAT;	2003/01/15 17:30
	ļ		EPO; JPO;	
	400	(600(404) 00) 0	DERWENT	1
-	188	(600/424).CCLS.	USPAT;	2003/01/15 17:30
			EPO; JPO;	
_	12	((600/424) CCL C) AND (511/2) (1/2)	DERWENT	
-	12	((600/424).CCLS.) AND (fold\$ unfold\$)	USPAT;	2003/03/16 13:39
ļ			EPO; JPO;	•
_	4	("4960106" L"5160800" L"5470700" L"54454545	DERWENT !	t t
_	291	("4960106" "5160890" "5170789" "5445151").PN. (600/420).CCLS.	USPAT !	2003/01/16 15:58
İ	231	(000/720).0060.	USPAT;	2003/02/25 11 25
1	İ		US-PGPUB	
	i	· ·	EPO; JPO;	
	1	1	DERWENT:	
_	102	(600/421).CCLS.	IBM_TDB	
ĺ	.02	(000/721).0000.	USPAT;	2003/02/25 11:25
ł			US-PGPUB;	
- 1	ł		EPO; JPO;	:
		· · · · · · · · · · · · · · · · · · ·	DERWENT:	•
			IBM_TDB ;	

-	1205	(600/410).CCLS.		
	1203	(000/410).CCLS.	USPAT;	2003/03/16 13:40
			US-PGPUB;	•
			l epo; jpo;	
1			DERWENT,	•
1_	6	(/600/410) CCI C) AND	IBM_TDB	
i -		((600/410).CCLS.) AND stent	USPAT;	2003/03/16 13:42
}			US-PGPUB;	
ļ	1		EPO; JPO;	ı
	1		DERWENT:	
-	243	(600/424).CCLS.	IBM_TDB	
			USPAT;	2003/03/16 13:42
			US-PGPUB	
1			EPO JPO	!
			DERWENT:	•
	04	//000/15 12 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	IBM_TDB	
-	21	((600/424).CCLS.) AND stent	USPAT;	2003/03/16 13:47
			US-PGPUB	•
			EPO, JPO;	•
			DERWENT;	
		A470. A447	IBM_TDB	
-	404	MRI AND stent	USPAT;	2003/03/16 13:47
			US-PGPUB;	1
			EPO; JPO;	
			DERWENT	!
		1. The same of the	IBM_TDB	
-	1	MRI AND stent AND "passive resonance"	USPAT:	2003/03/16 13:48
			US-PGPUB	1
			EPO; JPO;	
			DERWENT;	
			IBM TDB	İ